



Factsheet

SelfServer (9983678)

Version: 1.0

published on Tuesday, November 17, 2015

The SelfServer is an All-in-One solution for libraries, and is used for check-in and check-out library items. The sturdy and timeless design will make it fit into your architect's design without disturbing the library experience. The SelfServer is a compact 'one size fits all' solution and is developed to even fit the smallest budgets.

Table of Contents

Table of Contents.....	2
Technical support	3
Description.....	4
Features	4
Your benefits.....	4
Specification.....	5
Compatibility.....	7
Dimensions	7

Technical support

Email address

support-library@nedap.com

Visitors address

Nedap Library Solutions
Parallelweg 2d
Groenlo
The Netherlands

Postal address

Nedap Library Solutions
P.O. box 102
7140 AC Groenlo
The Netherlands

Telephone Number

Tel: +31 (0)85 88 88 850

©2015 Nedap Library Solutions

The software / hardware described in this document / file is furnished under a license agreement and may be used only in accordance with the terms of agreement.

Documentation copyright notice

Any technical documentation that is made available by Nedap Library Solutions is the copyrighted work of Nedap Library Solutions and is owned by Nedap Library Solutions.

Disclaimer

NO WARRANTY. The technical documentation is being delivered to you and Nedap Library Solutions makes no warranty as to its accuracy or use. Any use of the technical documentation or the information contained herein is at the risk of the user. Documentation may include technical or other inaccuracies or typographical errors. Nedap Library Solutions has the right to make changes without prior notice. No part of this publication may be copied without the express written permission of Nedap Library Solutions, Parallelweg 2d, 7141 DC Groenlo, The Netherlands.

Trademarks

Nedap, and the Nedap logo are registered trademarks of Nedap N.V. Groenlo. Other product names mentioned in this manual may be trademarks or registered trademarks of their respective companies and are hereby acknowledged. Printed in the Netherlands.

Description

The SelfServer is an All-in-One solution for libraries, and is used for check-in and check-out library items. The sturdy and timeless design will make it fit into your architect's design without disturbing the library experience. The SelfServer is a compact 'one size fits all' solution and is developed to even fit the smallest budgets.

The SelfServer is a first step for libraries to modernize item handling. We understand it can be a challenge for smaller libraries to seamlessly integrate advanced RFID technology into their existing furniture. For those libraries we developed the easy to install SelfServer. The SelfServer can be placed on any flat surface and just needs a minor software installation to be set up. Thanks to the Nedap Plug&Play principle, no advanced adjustments or modifications are needed.

Features

The SelfServer can be used in a variety of ways, for example as a self service station, a conversion station or a staff station.

Your benefits

- + All-in-One solution
- + Small and budget-proof
- + Heavy duty design, made to be used.
- + Desktop kiosk
- + Timeless design
- + Simple implementation
- + No mounting/breaking furniture
- + Quickly installed

Specification

Physical Specifications

Article numbers:	9983678
Dimensions (mm):	Ca. 600 x 400 x 430 (l x w x h)
Material:	Stainless Steel / HIPS / PMMA
Weight:	Ca. 10 kg
Function:	Item handling by staff or patrons; conversion / check-in / check-out
Color:	Black and brushed stainless steel

RFID specifications

Technology:	RFID
Frequency:	13.56MHz
Maximal power:	1W
Identifies:	ISO 15963 / ISO 1800-3.1
EAS-function:	Yes, based on EAS-bits and/or AFI

Hardware Specifications

User interface:	15" Touchscreen
Operating System:	Windows 8 embedded with Nedap Self Service software
Communication ports:	4x USB 1x COM-port 1x UTP Ethernet
Max. length communication cable:	UTP: 90M USB: 5M
IP-address:	Static / DHCP
Patron identification:	Barcode Scanner

Electrical Specifications

Supply voltage:	AC: 100V-230V, 50/60Hz
Length power cable:	1.5m

Environmental Specifications

Operating temperature:	+0 / +40 °C
Storage temperature:	-10 / +55 °C

Warranty

Warranty:	1 Year
------------------	--------


Compatibility

This product is an All-in-One solution, which doesn't need to be connected to other devices. Although if you want to connect extra peripherals, this is possible.

Miscellaneous

- Ticket Printer Epson TM-T20 II USB (8020043)
- Mifare reader Gigatek (9966544)
- Touch screen 17" Desktop (8022909)
- Touch screen ELO 19" Desktop (8021953)

Dimensions





Nedap Library Solutions | www.nedaplibrary.com | info@nedaplibrary.com